

Get The Power Of Supreme Performance



Across Seasons. Across Applications. Across The Nation.



4WD
22 HP

VST SHAKTI
MT224-1D **AJAI-4W**

VST MT224-1D



Oil Immersed Brakes (OIB) for Improved Braking



Adjustable Seat for Better Driver Comfort



Dry Type Air Cleaner for Extra Work Hours



Aluminium Radiator Mesh to Increase Working Hours



Heavy Duty Fenders



Smart Hydraulics for Higher Lift Capacity & Heavy-Duty Implements

1800 419 0136

info@vsttractors.com

www.vsttractors.com

SPECIFICATIONS

ENGINE

Manufacturer	VST
MODEL	V3D
Type	3 Cylinder
Engine HP(kw)	22 (16.4)/3000
PTO HP(kw)	18(14.0)/3000
Rated engine speed	3000 rpm
Displacement	980 cu.cm
Aspiration	Natural
Max Torque	5.09 Kg-m (2200rpm)
Air Cleaner	Dry Type

PERFORMANCE

Rotary tilling width	900-1100 mm
Steering	Manual
Clutch	Dry single
Pump type	Gear Pump
Category, 3 Point Hitch	1
Hitch lift capacity, kg	750

LIGHTING SYSTEM

Alternator	12 volts, 40 amps
------------	-------------------

TRANSMISSION

Transmission	Sliding mesh
Type	Manual
Forward	6 speeds
Reverse	2 speeds
Travelling Speed (Km/hr)	Forward 1.31 - 19.3 Reverse 1.67 - 7.36
Power Take off	2 Speeds - 540 & 796@2340 RPM
Brakes	Oil immersed brakes
Tyre	Front: 6x12,Rear: 8.3x20
Overall dimension	Length - 2675mm; Width - 1120mm; Height - 1175mm; Wheel Base - 1420mm
Ground clearance	230mm
Turning radius (m) with brakes	2.3
Haulage capacity	3 tonnes
Hydraulic System Control	Auto Draft & Depth control

FUEL SYSTEM

Fuel	High Speed Diesel (H.S.D)
Fuel Tank Capacity	18 Litres



Trust of >5 lakh farmers,
Legacy of >50 years



Widest working range
(3 HP to 50 HP)



No.1 Power Tiller brand
for last 50 years



Pioneer in light weight
4WD compact Tractors



Global footprints in
> 40 countries



VST TILLERS
TRACTORS LTD.

Regd. Office: Plot No- 1, Dyavasandra Indl. Layout, Whitefield Road,
Mahadevapura Post, Bengaluru-560048, Karnataka. INDIA
Phone: +91 - 80 - 67141111, e-mail: info@vsttractors.com,
CIN: L34101KA1967PLC001706. www.vsttractors.com

Authorized Dealer

Disclaimer: Pictures used here are for illustration purpose only. Product specifications are subject to change without prior notice.
Performance of the machine may vary with user/field/working conditions.

1800 419 0136

/vsttillers

/company/vst-tillers

<http://bit.ly/VSTVideos>

